



شركة ميوزتك للتجارة المحدودة

**MUSTECH**  
TRADING L.L.C.

**QUIK LOK**



**dBTechnologies**

**WHD**  
SOUNDS GOOD

**QUIK LOK**





**QUIK LOK is a famous brand known worldwide due to its reliability, creativity and innovative abilities in providing new solutions to meet musicians' ever changing needs.**

**QUIK LOK was able to gain an important market share throughout its many years of experience in the music field. Offering high quality products designed and manufactured to excellent standards and ensuring the best service, along with after sales assistance and a focus on complete customer satisfaction at all times.**



**QUIK LOK®**

# QUIKLOK HP10



## Monitoring Headphones HP-10 by Quik Lok technical specifications:

- Design: closed back
- Format: circumaural
- Gender: dynamic
- Transducer diameter: 50 mm
- Frequency response: 20 Hz - 20 kHz
- Impedance: 32 ohms
- Connectors: Mini Jack Stereo 3.5
- Mini Jack Stereo 3.5 / Jack Stereo 6.3 adapter: included
- Cable length: 3 mt – 10'
- Weight: Kg. 0.25 – 0.55 lbs



JUST MF-10



QUIK LOK®

Microphone Cable, Quik Lok JUST, XLR Male / XLR Female , Color: black, Length: 10 mt.



dBTechnologies  
WHD®  
SOUNDS GOOD

QUIK LOK



# MS331

- Sheet music stand with all metal perforated music holder, manufactured using heavy duty steel tubing and high-grade hardware.

QUIK LOK®

Holder Width	52 cm (20.5")
Holder Height	35.5 cm (14")
Lip depth	5.5 cm (2.1")
Height adjustment range	75 to 129 cm (29.5" to 50.8")
Diameter of leg spread	76 cm (30")
Weight	5 Kg (11 lb)
Color	Black
Package	1
Master carton	6



# LPH004

- Free-standing tripod laptop holder. - All-steel construction. - Can accommodate virtually any size laptop. Four stoppers, adjustable in width and depth, will securely anchor any size laptop, without interfering with input/output ports, expansion slots, cd-rw/dvd drivers, A/C adapter sockets placed on either side of the laptop.

QUIK LOK®

Height adjustment	from 29.5" to 50.8" - from 75 to 129 cm
Laptop tray dimensions	10" x 10" - 25 x 25 cm
Mouse tray dimensions	5.3" x 5.3" - 13.5 x 13.5 cm
Laptop stoppers width range	from 10.2" to 16.5" - from 26 to 42 cm
Laptop stoppers depth range	from 10.2" to 16.5" - from 26 to 42 cm
Weight	9.8 lb - 4.4 Kg
Color	Black



# A306

- Short, Tripod with Telescopic Boom

QUIK LOK®

Height adjustment range	16.5" to 19.25"; 41.9 to 48.9 cm
Boom length	22" to 40"; 55.9 to 101.6 cm
Diameter of leg spread	21.3" - 54 cm
Folded height	22.4" - 57 cm
Weight	2.88 lb - 1.3 kg
Color	Black



# A302

---

- "In-sync" tripod base microphone boom stand. Constructed with strong, lightweight "Microlite" tubular steel. New boom swivel made of ABS composite material for high impact resistance ensures fast, smooth, non-slip angle and height adjustments.



**QUIK LOK**

Height adjustment range	38.2" to 64.2" - 97 to 163 cm
Boom length	30.3" - 77 cm
Diameter of leg spread	28.3" - 72 cm
Folded height	36.2" - 92 cm
Weight	3.66 lb - 1.65 Kg
Color	Black



A25

- MICROPHONE DESK  
ARM WITH MIC CABLE

QUIK LOK®



# CM580

- Cavo mic.2X0,22+SCH.  
bob.100m NERO

QUIK LOK®



# CM675

- Cavo mic.2X0,22+SCH. bob.100m NERO
- Working temperature: -30° / +70°
- Color:Black, Red, Blue



# QUIK LOK

Inner conductor size:	2 x 0.22 mm <sup>2</sup> (22 AWG)
Strands x conductor:	7 x 0.20 Bare Copper (BC)
Insulation:	PE (Polyethylene) Ø 1.45 mm
Shielding:	Bare copper 0.22 drain wire (7 x 0.20) + 100% Conductive PVC
Outer jacket:	PVC Polyvinyl Chloride - Hardness grade: 65 Shore
Overall diameter:	6.00 mm
Weight:	39.5 Kg (87.78 lbs) per 1000 m (3280 ft)

Conductor resistance at 20°: <52 Ohm/Km

Conductor/conductor capacitance: 60Pf/m

Insulation resistance at 20°: >5000 Mohm/Km

# CM995

- Professional  $\varnothing$  6.3 mm Microphone cable with Super "Flexible" PVC outer jacket in 100mts bulk.
- Conductor resistance at 20°: <86 Ohm/Km
- Conductor/shielding capacitance: 91Pf/m
- Conductor/conductor capacitance: 58Pf/m
- Insulation resistance at 20°: >10000 Mohm/Km
- Working temperature: -20° / +70°



# QUIK LOK

Inner conductor size:	2 x 0.22 mm <sup>2</sup> (24 AWG)
Strands x conductor:	28 x 0.10 Bare Copper (BC)
Insulation:	PVC Polyvinyl Chloride - $\varnothing$ 1.45 mm
Core arrangement:	Twisted to pairs with cotton filling
Shielding:	Bare copper spiral shielding - 100% coverage
Outer jacket:	Super Flex PVC
Overall diameter:	6.30 mm
Weight:	50 Kg (111.11 lbs) per 1000 m (3280 ft)

# CM825

- CM825BK DMX Digital  
Cable - 120 Ohm  
Impedance (2 x 0.25mm<sup>2</sup>) -  
Black - 100m reel

QUIK LOK®



## MX775-5

---

- **Microphone cable, Quik Lok STRIX, Connectors, XLR Male / XLR Female, Wire color: black, Length: 5 mt**

**QUIK LOK**



## A188

- Desktop portable tripod Microphone Stand with rubber mic holder. Designed for use on a table, this mini-stand can also be used for micing up speaker cabinets and instruments. Perfect for schools, conference facilities, entertainment venues, professional studios, etc.



**QUIK LOK**

Height:	11 to 17 cm (4.3" to 6.7")
Diameter of base:	19 cm (7.5")
Weight:	335 gr (0.8 lb)
Package:	1
Master carton:	50

## A399

- Straight, round base 300 Series microphone stand with heavy-duty cast-iron base and rubber feet to prevent scratching floor surfaces.
- Constructed with strong-lightweight Microlite tubular steel and available in scratch-resistant, baked-on, non-reflective, black enamel finish. All locking points are protected by scratch-proof contact points.



**QUIK LOK**

Height adjustment range	90.2 to 156.2 cm (35.5" to 61.5")
Base Diameter	24.75 cm (9.75")
Folded height	90.2 cm (35.5")
Weight	3.5 kg (7.8 lb)
Thread	European 6 mm hardware
Color	Black
Package	1
Master carton	4



## LPH001

- Multi-function tripod stand. Designed to securely support virtually any size laptop, the LPH001 is also the ideal solution for holding expanders, processors, mid data input devices, small mixers and percussion instruments, sheet music and songbooks.



**QUIK LOK**

Shelf width	39 cm (15,3")
Shelf depth	31 cm (12,2")
Set-up height range	82 to 132 cm (32,3" to 52")
Weight capacity	15 kg (33,3 lb)
Weight	4,1 kg (9,1 lb)
Color	black
Package	1
Master carton	4

## S171 PAK-BB

- Tripod speaker stand with steel center tube and steel legs for added strength. Strong, lightweight and portable design, available in anodized black finish.



**QUIK LOK**

Min to Max height range	109 to 185 cm (42,9" to 72,83")
Base spread diameter	61 to 120 cm (24" to 47,2")
Center tube diameter	35 mm (1,375")
Folded height	107 cm (42,2")
Weight capacity	45 kg (100 lb)
Weight	3,2 kg (7,10 lb)
Color	black
Package	2
Master carton	6



# CA24

# QUIK LOK®

CA24 Bulk Speaker Cable (2 x  
4.00 mm<sup>2</sup>) - Diameter 10.8mm  
- Black - 100m reel





# QUIK LOK®

## CA425

Cavo speaker 4X2,5 d.11mm  
bob.100m





# QUIK LOK®

## CA810

Connecting cable for non-powered speakers. Suitable for both mobile and permanent installations.

Inner conductor size:	2 x 1.0 mm <sup>2</sup>
Strands x conductor:	32 x 0.193
Conductor diameter:	2.50 mm +/- 0.1%
Insulation thickness:	0.6 mm
Outer jacket thickness:	PVC 0.8 mm
Overall diameter:	6.7 mm +/- 0.2%
Unit ultimate strength:	1.45 Kg/mm <sup>2</sup>
Tensile strength:	220%
Weight per 1000 m (3280 ft):	68 Kg (151.1 lbs)
Reel length (meters):	100
Colours:	Black (BK)



# QUIK LOK®

## CA215

CA215 Bulk Speaker Cable (2 x 1.50 mm<sup>2</sup>) - Diameter 7.0mm  
- Black - 100m reel





# QUIK LOK®

## CA225

CA225 Bulk Speaker Cable (2 x 2.50 mm<sup>2</sup>) - Diameter 8.4mm  
- Black - 100m reel

